


ELECTRIC RIDE ON CAR

Installation and Operation Instruction



DISCOVERY SPORT



WARNING:

- To reduce the risk of injury, adult supervision is required.
- Never use in roadways, near motor vehicles, on or near steep inclines or steps, swimming pools or other bodies of water; always wear shoes, and never allow more than one rider.
- Not to be used traffic.
- This is used by children.
- Not for children under 3 years old.
- The maximum carrying capacity is 25kg.
- It is only suitable for children 36-72 months.
- This toy contains batteries that are non-replaceable.
- Please keep this manual for future reference as it contains important information.

OWNER'S MANUAL

Read and understand this entire manual before using!

Would you please to read this specification carefully before installation in order to avoid operating errors or damages. Make sure that the baby will be safe. The user should safekeeping the specification.


Specification

Car type	LAND ROVER
Storage battery	6V 4.5AH*1/12V4.5AH*1/12V 7AH*1
Electric motor	6V 390*1(drive) / 12V 390*2 (drive)
Suit age	36-72 months
Max weight	25Kg
Size	1080X650X510mm
Speed	3.0km----4.5km/h
Utility	8-12hours (charge), 60-80minutes (use)
Charger	AC100-240V 50-60Hz(input), DC6V-15V(output)
Battery of remote control	Two pieces of AAA 1.5V



Warning


- Small parts. Not suitable for children under 36 months!
- Products should be adult assembly! Before the assembly screw split pin and other dangerous sharp tip!
- Small parts in order to avoid damage and ingestion may cause choking hazard, please send small parts away from children under 3 years old!
- The children can not drive alone without adults,and caregivers in use process shall not be allowed to leave!
- After charging the storage battery by the adults,before using this product, please recharge!
- In order to avoid the harm the children, please will packing material such as plastic bags away from children!
- Please check the product regularly to make sure that the electric wire, plugs, outer case and other parts are normal. If something is damaged, please stop using the car until it is fixed!
- Two AAA dry cells are for the remote controller!
- Use all the cells or batteries in right way!
- If the line with no connection Do not insert the output socket!
- The packaging and instructions must be retained since it contains important information!

Parts Names



Parts List


Part no	Part name	Picture	Qty (pcs)	Remarks
1	Vehicle body		1	
3	Seat		1	
5	Wheel		4	Wheel Sare the same
7	Steering wheel		1	
9	M10 washer		6	Placed in the axle
11	M8 Nut		4	Placed in the axle
13	M4X12 screw		2	
15	M4X20 bolt +M4 Nut		1	
17	Instruction Manual		1	

Part no	Part name	Picture	Qty (pcs)	Remarks
2	Windshield		1	
4	Gear box		2	
6	Wheel hub			
8	Rearview mirror		1	Left & Right
10	Remote control		1	
12	M5X35 bolt +M5 Nut		1	Placed on the steering wheel
14	Charger		1	
16	training wheel		2	
18	Spanner		2	

Installation Steps


1.Install training wheel

Install training wheel with 2pcs M4*12mm screws.(Refer to PIC1)



2.Install front wheel


Place one M10 washer at the end of the steering rod and fixed with one M8 nut. Truck-mounted wheel hub. (Refer to PIC 2)



Installation Steps


3.Install driving wheel

Install the drive motor on the rear axle(The motor is installed and this step is omitted) put one wheel on each side of the trailing axle ,then put one M10 washer and fixed with one M8 nut. Truck-mounted wheel hub.
(Refer to PIC 3)



4.Install the windshield


Insert the windshield into the car body.(Refer to PIC 11)



Installation Steps

5. Install the steering wheel


Connect the plug-in of the steering wheel and the body. Insert the steering wheel into the steering lever. (Refer to PIC 5)



6. Connect the power plug-in

Dock the docking plug before installing the seat.


Note: Power plugs cannot be operated in reverse. (Refer to PIC 6)




Installation Steps

7.Install the Seat

Place the limit toe on the seat on the body.




Fix the seat with one M4x20 mm bolts. (Refer to PIC 8)



Installation Steps

8. Install the rearview mirror

Insert the rearview mirror into the car body. (Refer to PIC9)



9. Dashboard indication

a. Power Switch —

(1) Turn on power switch, the light will be bright and there is engine sound.


(2) Dashboard equipped with music function and it can be connected to a cellphone, adjust the volume, power display, etc.

b. Steering wheel — The steering wheel is equipped with music and horn, Children can adjust by themselves.


e. Go forward/ Stop/ Back forward switch—When manual for driving can control to go forward or backward when they step on the foot pedal.

d. Key switch of light system — Lights can be turned on and off.

(Refer to PIC 10)




10. Description Console function console




- | | |
|-----------------------------|------------------------------|
| 1. AUX | 7. Next Song / Volume + |
| 2. Voltage indication LED | 8. Power Switch/Pause / Play |
| 3. Socket | 9. Forward Switch |
| 4. Light Switch | 10. Reverse Switch |
| 5. Previous Song / Volume - | 11. Swing Switch |
| 6. Music switch | 12. Mode switch |

11. Charging indication

When the power display shows lower power, please charge the battery in time. Find The charging input socket below the seat; Plug the charger port into the input socket; Plug the charger plug into a wall outlet. The battery will begin charging. (Refer to PIC 11)



12.Remote control operation



Step 1: Open the battery cover of the remote control and load into 2pcs AAA(1.5V) batteries;

Step 2: Turn off the power switch on the car;

Step 3: Hold down Forward and Back buttons at the same time, the Speed display will flash. Wait for a moment, the Speed display red light stop flashing, code success.

Speed button:

a red light for low speed, two red lights for medium speed, three red lights for high speed.

Brake button: press this button for stopping the car, red speed light will flashing. Press brake button once again, the car can work.

When the remote control is operated, the pedal switch of the product is invalid; when the remote control is cut off, the pedal switch can be used.

13.Fault and solutions

Type of fault	Type of Analysis of causes	Solutions
The car can't move	The battery is below normal level Safety protection of line The screw on the wheels has fell off The battery connector has fell off The battery is damaged The electrical equipment is damaged The motor is damaged	Charge the battery Wait for a moment Tight the screw again Come on again Change the battery Bring it to repair Contact the seller
The battery can't be charged	Battery connector has fell off Battery charger is powered off Battery charger is damaged	Plug into again Plug into again Change the battery charger
Running distance per charge is short	Battery is not full Battery is old	Charge the battery again Change the battery
There is noise and heat when charge the battery	Chemical reaction	It is normal
The speed is low	Battery is old Battery is out of power Over weight Driving on uneven road	Change the battery Charge the battery again Lighten the weight to less than 25Kg Driving on flat road
	The gear is broken	Bring it to repair
The car shakes when it goes forward	Bad connection of the motor connector wires Something wrong with the motor	Connect the wires well Bring it to repair
Drive without music	There isn't battery in the steering wheel	Put the battery
If you can't solve the problem, please feel to contact us.		

14.Kind reminder

- Before the first use, make sure that the battery has been charged over 18hours, otherwise it will be damaged forever.
- Never use in roadways, near motor vehicles, on or near steep inclines or steps, swimming pools or other bodies of water; always wear shoes, and never allow more than one rider.
- Do not be overweight. The maximum load is 25Kg .
- Do not transfer the switch from "Forward" to "Backward" during the advance.
- Do not change the line and model of charged device.
Keep the remote and remote control car away from the rain and fire.
- When the car meets some obstacle, it will stop. The car will move again when the obstacle is removed.
- Do not drive the car in the water. Do not put the water or liquid into the car.
- Do not drive the car in the room to protect children and furniture.
- When the battery is in low power, the car just go forward, but not drive left or right.
- When it can't go or shake, you should change the new battery at once.
- Please turn off the power when the car is not driven. If the car is not driven for a long time, please plug out the battery connector.

15.Kind reminder for charging

- 1.Make sure the battery has been charged over 8 hours before the first use.
- 2.Connect the charger connector to the battery connector, then insert the charger on the plug.
- 3.After using 1 hour, you should charge in time. It takes 8 to 12 hours to charge normally.
- 4.Do not charge over 20 hours.
- 5.It is normal to have some heat for charger and battery when it is charging.
(low than 60°C)
- 6.In order to protect charger, battery and circuit, please use the special charger and battery from the seller.
- 7.The connecting terminal can't be in short circuit.
- 8.Make the battery charge once a month at least when the car is not driven for long time.
- 9.Charge the battery by adults.

Chargers and battery maintenance:

- 1.Taking away the seat first,and urscrewing the battery cover ,finally get out of or put in the battery,and then screwing the battery cover,finally put the seat as well as screwing the bolt.
- 2.Must be charged under Adults' inspection.
- 3.Battery poles must be connected correctly,(Red to Red,Black to Black)
- 4.Being short circuit is not allowed.

Battery using instructions:

- 1.Pls.use two pieces of 1.5VAA batteries.
- 2.Open the battery compartment cover and insert two 1.5VAA batteries.Close the cover;Remove the battery in the same way.
- 3.Must use the rechargeable battery to charge.
- 4.Must be charged under Adult's inspection.
- 5.Taking out the batteries when charging.
- 6.Either different styles of batteries or new and old batteries can't be used together.
- 7.Battery poles must be connected directly.
- 8.The expired or used up batteries must be taken out of the car.
- 9.Being short circuit is not allowed.

Maintenance:

- 1.Before the installation ,make sure the parts are complete. If you nave any question,please feel free to contact us.
- 2.Make sure every part is complete when installing and using.
- 3.Please clean the product regularly.
- 4.Dot not damage the electrical equipment.
- 5.Please check and maintain the car for the children's safety.

CE ROHS ASTM F963 CPSIA

